



VAPORMIST® DI EVAPORATIVE HUMIDIFIER FACTORY WIRING DIAGRAM WITH VAPOR-LOGIC

DATE	REV	RECORD	DR
5/15	A	E.C.# 6396	JK
4/17	B	E.C.# 6551	JK



DEPENDENT ON LOAD:
A 1, 2, 3, OR 6
HEATER ELEMENT
CONFIGURATION
IS POSSIBLE.




- NOTES:
- FOR THREE PHASE SYSTEM, THE THREE PHASE LOAD IS USED AND THIS WIRE IS FACTORY INSTALLED.
 - REFER TO VM ELECTRICAL DATA SHEET.

POWER WIRING
CONTROL CIRCUIT WIRING
FIELD WIRING
OPTIONAL FACTORY
OPTIONAL FIELD

LEGEND

- | | | | |
|---|-----------------|---|-------------|
| K | RELAY/CONTACTOR | Y | SOLENOID |
| T | TRANSFORMER | N | SENSOR |
| Q | CIRCUIT BREAKER | J | JUMPER |
| S | SWITCH | E | WATER PROBE |
| H | HEATER | M | MOTOR/FAN |
| F | FUSE | | |



BREAK TO EXTERNAL CONNECTIONS DIAGRAM

	VM, DI WATER, SDU W/TRANSFORMER DIAGRAM EXCEPT 120V, 208V, 240/1Ø	
	MAT'L:	
	SCALE:	P/N
	DATE: 5/15/15	VM-VL-8